A CALL AND				Carolina State Laboratory of Public Health Environmental Sciences Microbiology -K, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS					4312 District Drive MSC 1918 Raleigh, NC 27699-1918 http://slph.ncpublichealth.com Phone: 919-733-7308 Fax: 919-715-8611 FINAL REPORT	
Sample Collection: Sample Receipt:										
Date:	ate: 01/04/2023 Time: 10:40		Time: 10:40	Collector: Debra E. Harmon			01/05/2023 Time	07:29		
Temperature Controls: Raw: ^{38°F}			Processed: 40°F Size: Half Gallon			Temperature: Raw:		Processed: 0.5°C	0.5°C	
Processor/Distributor: Homeland Creamery					Receive	d by: DeMo	onta Newborn			
ID #: 37-094 Environmental Microbiology							Sam	ple Group:	ES230105-0 ⁻	103
	SAM	PLE INFOR	MATION	RAW AND PROCESSED DAIRY PRODUCTS					CONTAINERS	
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
5	01/19/23	Pint	Whole Buttermilk	Not Found		<1 eHSCC/g				
6	01/22/23	Pint	Whole Milk	Not Found	Not Found	<1 ePCC/mL	<250 eRAC/mL			
	01/16/23	Pint	Chocolate Milk	Not Found	Not Found	<1 eHSCC/mL	<250 eRAC/mL			
7		Pint	Heavy Cream	Not Found	Not Found	<1 eHSCC/g	7,700 RAC/g			
	01/16/23		field y oroani							
3	01/16/23 01/18/23	Half Gallon	Lowfat Milk	Not Found	Not Found	<1 ePCC/mL	<250 eRAC/mL			
8 9			-	Not Found Not Found	Not Found Not Found	<1 ePCC/mL <1 ePCC/mL	<250 eRAC/mL <250 eRAC/mL			
8 9 0	01/18/23	Half Gallon	Lowfat Milk							
3 9 0 1	01/18/23 01/15/23	Half Gallon Pint	Lowfat Milk Skim Milk	Not Found	Not Found	<1 ePCC/mL	<250 eRAC/mL			
3)) ! 2	01/18/23 01/15/23	Half Gallon Pint Pint	Lowfat Milk Skim Milk Half and Half	Not Found	Not Found Not Found	<1 ePCC/mL	<250 eRAC/mL <250 eRAC/g			
8 9 0 1 2 3	01/18/23 01/15/23	Half Gallon Pint Pint 100 mL	Lowfat Milk Skim Milk Half and Half In Plant Raw Tank 1	Not Found	Not Found Not Found Not Found	<1 ePCC/mL	<250 eRAC/mL <250 eRAC/g 20,000 RAC/mL	210,000 /mL		
7 8 9 0 1 2 3 4 5	01/18/23 01/15/23	Half Gallon Pint Pint 100 mL 100 mL	Lowfat Milk Skim Milk Half and Half In Plant Raw Tank 1 In Plant Raw Tank 2	Not Found	Not Found Not Found Not Found Not Found	<1 ePCC/mL	<250 eRAC/mL <250 eRAC/g 20,000 RAC/mL 17,000 RAC/mL	210,000 /mL 260,000 /mL		

Date Reported: 01/06/2023

Reported By: KPLEMMONS