



North Carolina State Laboratory of Public Health

Environmental Sciences

Microbiology

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

4312 District Drive
MSC 1918
Raleigh, NC 27699-1918
<http://slph.ncpublichealth.com>
Phone: 919-733-7308
Fax: 919-715-8611

FINAL REPORT

Sample Collection:

Date: 04/09/2024 **Time:** 09:00 **Collector:** Andrew Langlois
Temperature Controls: **Raw:** 35°F **Processed:** 36°F **Size:** Half Gallon
Processor/Distributor: Milkco Inc.
ID #: 37-82

Sample Receipt:

Date: 04/10/2024 **Time:** 07:48
Temperature: **Raw:** 1.5°C **Processed:** 0.5°C
Received by: DeMonta Newborn

Environmental Microbiology

Sample Group: **ES240410-0119**

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS					CONTAINERS	
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
562	04/27/24	Half Gallon	Half and Half	Not Found	Not Found	<1 eHSCC/g	<250 ePAC/g			
563	04/26/24	Half Gallon	2% Milk	Not Found	Not Found	<1 ePCC/mL	<250 ePAC/mL			
564	04/20/24	Half Gallon	Whole Milk	Not Found	Not Found	<1 ePCC/mL	<250 ePAC/mL			
565	05/11/24	Half Gallon	Nonfat Buttermilk BB	Not Found		<1 eHSCC/g				
566	05/13/24	Half Gallon	3.25% Whole Buttermilk	Not Found		<1 eHSCC/g				
567	04/26/24	Half Gallon	Chocolate Milk	Not Found	Not Found	<1 eHSCC/mL	<250 ePAC/mL			
568	05/11/24	Half Gallon	Fat Free Buttermilk	Not Found		<1 eHSCC/g				
569	04/25/24	Half Gallon	Fat Free Skim Milk	Not Found	Not Found	<1 ePCC/mL	<250 ePAC/mL			
570	04/25/24	Half Gallon	1% Lowfat Milk	Not Found	Not Found	<1 ePCC/mL	<250 ePAC/mL			
571		3 oz.	Tank 7		Not Found		18,000 PAC/mL			
572		3 oz.	Tank 12		Not Found		6,000 PAC/mL			
573		3 oz.	Tank 0		Not Found		16,000 PAC/mL			
574		3 oz.	RO Tank (Reverse Osmosis)		Not Found		>2,000,000 ePAC/mL			
575		3 oz.	Tank 6		Not Found		9,000 PAC/mL			



North Carolina State Laboratory of Public Health

Environmental Sciences

Microbiology

4312 District Drive
MSC 1918
Raleigh, NC 27699-1918
<http://slph.ncpublichealth.com>
Phone: 919-733-7308
Fax: 919-715-8611

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

FINAL REPORT

Sample Collection:

Date: 04/09/2024 Time: 09:00 Collector: Andrew Langlois
Temperature Controls: Raw: 35°F Processed: 36°F Size: Half Gallon
Processor/Distributor: Milkco Inc.
ID #: 37-82

Sample Receipt:

Date: 04/10/2024 Time: 07:48
Temperature: Raw: 1.5°C Processed: 0.5°C
Received by: DeMonta Newborn

Environmental Microbiology

Sample Group: ES240410-0119

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS					CONTAINERS	
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC

Comment:

Date Reported: 04/12/2024 Reported By: KPLEMMONS