



# North Carolina State Laboratory of Public Health

## Environmental Sciences

### Microbiology

#### RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

4312 District Drive  
MSC 1918  
Raleigh, NC 27699-1918  
<http://slph.ncpublichealth.com>  
Phone: 919-733-7308  
Fax: 919-715-8611

**FINAL REPORT**

#### Sample Collection:

**Date:** 05/14/2024 **Time:** 09:45 **Collector:** Andrew Langlois  
**Temperature Controls:** **Raw:** 38 °F **Processed:** 34 °F **Size:** Half Gallon  
**Processor/Distributor:** Milkco Inc.  
**ID #:** 37-82

#### Sample Receipt:

**Date:** 05/15/2024 **Time:** 10:50  
**Temperature:** **Raw:** 1.0 °C **Processed:** 0.5 °C  
**Received by:** Kaila Kurtz

#### Environmental Microbiology

**Sample Group:** **ES240515-0084**

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS					CONTAINERS	
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
779	06/02/24	Half Gallon	1% Lowfat Milk	Not Found	Not Found	<1 ePCC/mL	<250 ePAC/mL			
780	06/14/24	Half Gallon	Whole Buttermilk 3.25%	Not Found		<1 eHSCC/g				
781	06/14/24	Half Gallon	Fat Free Buttermilk	Not Found		<1 eHSCC/g				
782	06/17/24	Half Gallon	Nonfat Buttermilk	Not Found		<1 eHSCC/g				
783	05/30/24	Half Gallon	Whole Chocolate Milk	Not Found	Not Found	<1 eHSCC/mL	<250 ePAC/mL			
784	06/02/24	Half Gallon	Whole Milk	Not Found	Not Found	<1 ePCC/mL	300 PAC/mL			
785	05/31/24	Half Gallon	Fat Free Skim Milk	Not Found	Not Found	<1 ePCC/mL	570 PAC/mL			
786	06/02/24	Half Gallon	2% Milk	Not Found	Not Found	<1 ePCC/mL	<250 ePAC/mL			
787		3 oz.	RO Tank		Not Found		78,000 PAC/mL			
788		3 oz.	Raw Tank 11		Not Found		62,000 PAC/mL			
789		3 oz.	Raw Tank 12		Not Found		81,000 PAC/mL			
790		3 oz.	Raw Tank 0		Not Found		16,000 PAC/mL			
791		3 oz.	Raw Tank 7		Not Found		16,000 PAC/mL			
792		3 oz.	Raw Tank 6		Not Found		8,600 PAC/mL			



North Carolina State Laboratory of Public Health

Environmental Sciences

Microbiology

4312 District Drive  
MSC 1918  
Raleigh, NC 27699-1918  
<http://slph.ncpublichealth.com>  
Phone: 919-733-7308  
Fax: 919-715-8611

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

FINAL REPORT

Sample Collection:

Date: 05/14/2024      Time: 09:45      Collector: Andrew Langlois  
Temperature Controls:      Raw: 38 °F      Processed: 34 °F      Size: Half Gallon  
Processor/Distributor:      Milkco Inc.  
ID #: 37-82

Sample Receipt:

Date: 05/15/2024      Time: 10:50  
Temperature:      Raw: 1.0 °C      Processed: 0.5 °C  
Received by:      Kaila Kurtz

Environmental Microbiology

Sample Group: ES240515-0084

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS					CONTAINERS	
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC

Comment:

Date Reported: 05/17/2024      Reported By: DNEWBORN