



North Carolina State Laboratory of Public Health

Environmental Sciences

Microbiology

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

4312 District Drive
MSC 1918
Raleigh, NC 27699-1918
<http://slph.ncpublichealth.com>
Phone: 919-733-7308
Fax: 919-715-8611

FINAL REPORT

Sample Collection:

Date: 12/10/2024 **Time:** 08:30 **Collector:** Andrew Langlois
Temperature Controls: **Raw:** 38 °F **Processed:** 40 °F **Size:** 100 mL
Processor/Distributor: Milkco Inc, Asheville NC
ID #: 37-82

Sample Receipt:

Date: 12/11/2024 **Time:** 09:45
Temperature: **Raw:** 2.5 °C **Processed:** 0.5 °C
Received by: Angela Heybroek

Environmental Microbiology

Sample Group: **ES241211-0125**

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS					CONTAINERS	
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
1939		100 mL	Raw tank # 10		Not Found		16,000 PAC/mL			
1940		100 mL	Raw tank # 6		Not Found		19,000 PAC/mL			
1941		100 mL	Raw tank # 7		Not Found		3,000 PAC/mL			
1942		100 mL	Raw tank # 14		Not Found		11,000 PAC/mL			
1943		100 mL	Raw tank # 11		Not Found		48,000 PAC/mL			
1944	12/28/24	Quart	Egg Nog			<1 eHSCC/g	<2,500 ePAC/g			
1945	12/30/24	Half Gallon	2% Reduced Fat Milk	Not Found	Not Found	<1 ePCC/mL	<250 ePAC/mL			
1946	12/27/24	Half Gallon	Half & Half	Not Found	Not Found	<1 eHSCC/g	<250 ePAC/g			
1947	01/13/25	Half Gallon	Fat Free Buttermilk	Not Tested		<1 eHSCC/g				
1948	12/29/24	Half Gallon	1% Lowfat Milk	Not Found	Not Found	<1 ePCC/mL	<250 ePAC/mL			

Comment: Sample 1947 not tested for Residual Phos. Refer to M-a-98.

Date Reported: 12/13/2024

Reported By: **DNEWBORN**