



North Carolina State Laboratory of Public Health

Environmental Sciences

Microbiology

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

4312 District Drive
MSC 1918
Raleigh, NC 27699-1918
<http://slph.ncpublichealth.com>
Phone: 919-733-7308
Fax: 919-715-8611

FINAL REPORT

Sample Collection:

Date: 01/07/2025 **Time:** 09:00 **Collector:** Andrew Langlois
Temperature Controls: **Raw:** 35 °F **Processed:** 40 °F **Size:** 100 mL
Processor/Distributor: Milkco Inc, Asheville NC
ID #: 37-82

Sample Receipt:

Date: 01/08/2025 **Time:** 10:19
Temperature: **Raw:** 1.5 °C **Processed:** 0.5 °C
Received by: Angela Heybroek

Environmental Microbiology

Sample Group: **ES250108-0170**

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS					CONTAINERS	
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
49		100 mL	Raw Tank 10		Not Found		140,000 PAC/mL			
50		100 mL	Raw Tank 7		Not Found		24,000 PAC/mL			
51		100 mL	Raw Tank 0		Not Found		14,000 PAC/mL			
52		100 mL	Raw Tank 8		Not Found		14,000 PAC/mL			
53		100 mL	Raw Tank 9		Not Found		7,500 PAC/mL			
54	01/26/25	Half Gallon	Whole Milk	Not Found	Not Found	<1 ePCC/mL	<250 ePAC/mL			
55	01/25/25	Half Gallon	36% Heavy Cream	Not Found	Not Found	<1 eHSCC/g	<250 ePAC/g			
56	01/27/25	Half Gallon	1% Lowfat Milk	Not Found	Not Found	<1 ePCC/mL	<250 ePAC/mL			
57	02/11/25	Half Gallon	Whole Buttermilk 3.25%	Not Tested		<1 eHSCC/g				

Comment: Sample # 57 not tested for Residual Phos. Refer to M-a-98.

Date Reported: 01/15/2025

Reported By: **DNEWBORN**