

## **North Carolina State Laboratory of Public Health**

**Environmental Sciences** 

**Microbiology** 

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

4312 District Drive

MSC 1918

Raleigh, NC 27699-1918

http://slph.ncpublichealth.com Phone: 919-733-7308 Fax: 919-715-8611

**FINAL REPORT** 

Sample Collection: Sample Receipt:

**Date:** 03/11/2025 **Time:** 09:30 **Collector:** Andrew Langlois **Date:** 03/13/2025 **Time:** 13:48

Temperature Controls: Raw: 38 °F Processed: Size: 100 mL Temperature: Raw: 2.5 °C Processed:

Processor/Distributor: Milkoo Inc Received by: Kaila Kurtz

**ID #**: 37-82

Environmental Microbiology Sample Group: ES250313-0114

| SAMPLE INFORMATION |              |        |             | RAW AND PROCESSED DAIRY PRODUCTS |           |                             |                            |       | CONTAINERS |      |
|--------------------|--------------|--------|-------------|----------------------------------|-----------|-----------------------------|----------------------------|-------|------------|------|
| Lab<br>No          | Code<br>Date | Size   | Description | Residual<br>Phos                 | Inhibitor | Petrifilm Coliform<br>Count | Petrifilm Aerobic<br>Count | DMSCC | PRBC       | PRCC |
| 382                |              | 100 mL | Raw Tank 10 |                                  | Not Found |                             | 15,000 PAC/mL              |       |            |      |
| 383                |              | 100 mL | Raw Tank 14 |                                  | Not Found |                             | 12,000 PAC/mL              |       |            |      |
| 384                |              | 100 mL | Raw Tank 9  |                                  | Not Found |                             | 22,000 PAC/mL              |       |            |      |
| 385                |              | 100 mL | Raw Tank 0  |                                  | Not Found |                             | 15,000 PAC/mL              |       |            |      |
| 386                |              | 100 mL | Raw Tank 8  |                                  | Not Found |                             | 10,000 PAC/mL              |       |            |      |

Comment:

Date Reported: 03/18/2025 Reported By: DNEWBORN