



North Carolina State Laboratory of Public Health

Environmental Sciences

Microbiology

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

4312 District Drive
MSC 1918
Raleigh, NC 27699-1918
<http://slph.ncpublichealth.com>
Phone: 919-733-7308
Fax: 919-715-8611

FINAL REPORT

Sample Collection:

Date: 09/03/2025 **Time:** 09:50 **Collector:** Debra E Harmon
Temperature Controls: **Raw:** 38 °F **Processed:** 39 °F **Size:** Half Gallon
Processor/Distributor: Homeland Creamery
ID #: 37-093

Sample Receipt:

Date: 09/04/2025 **Time:** 10:02
Temperature: **Raw:** 0.5 °C **Processed:** 0.0 °C
Received by: Kaila Kurtz

Environmental Microbiology

Sample Group: **ES250904-0113**

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS					CONTAINERS	
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
1438	09/25/25	Pint	Whole Buttermilk			<1 eHSCC/g				
1439	09/21/25	Pint	Whole Milk	Not Found	Not Found	<1 ePCC/mL	<250 eRAC/mL			
1440	09/21/25	Pint	Chocolate Milk	Not Found	Not Found	<1 eHSCC/mL	<250 eRAC/mL			
1441	09/18/25	Pint	Heavy Cream	Not Found	Not Found	<1 eHSCC/g	<250 eRAC/g			
1442	09/22/25	Half Gallon	Lowfat Milk	Not Found	Not Found	<1 ePCC/mL	<250 eRAC/mL			
1443	09/14/25	Pint	Skim Milk	Not Found	Not Found	<1 ePCC/mL	<2500 eRAC/mL			
1444	09/21/25	Pint	Half & Half	Not Found	Not Found	<1 eHSCC/g	<250 eRAC/g			
1445		3 oz.	Gerringer Raw Tank 1		Not Found		<2500 eRAC/mL	110,000 /mL		
1446		3 oz.	Gerringer Raw Tank 2		Not Found		>2000000 eRAC/mL	210,000 /mL		
1447		3 oz.	Wright Raw Tank 1		Not Found		8,800 RAC/mL	800,000 /mL		
1448		3 oz.	Wright Farm Tank 2		Not Found		13,000 RAC/mL	860,000 /mL		
1449		3 oz.	In Plant Raw		Not Found		>2000000 eRAC/mL			

Comment:

Date Reported: 09/08/2025

Reported By: **DNEWBORN**